



## Requirements Prioritization

- Why Prioritization is needed
  - Basic Trade-offs
- Cost-Value Approach
  - Sorting Requirements by cost/value
  - Estimating Relative Costs/Values using AHP
- What if stakeholders disagree?
  - Visualizing differences in priority
  - Resolving Disagreements

---

---

---

---

---

---

---

---



## Basics of Prioritization

- Need to select what to implement
  - Customers (usually) ask for way too much
  - Balance time-to-market with amount of functionality
  - Decide which features go into the next release
- For each requirement/feature, ask:
  - How important is this to the customer?
  - How much will it cost to implement?
  - How risky will it be to attempt to build it?
- Perform Triage:
  - Some requirements \*must\* be included
  - Some requirements should definitely be excluded
  - That leaves a pool of "nice-to-haves", which we must select from.

---

---

---

---

---

---

---


---



## A Cost-Value Approach

Source: Adapted from Karlsson & Ryan 1997

- Calculate return on investment
  - Assess each requirement's importance to the project as a whole
  - Assess the relative cost of each requirement
  - Compute the cost-value trade-off:




---

---

---

---


---

---

---

---

MICHIGAN STATE UNIVERSITY Computer Science and Engineering



## Estimating Cost & Value

- Two approaches:
  - Absolute scale (e.g. dollar values)
    - Requires much domain experience
  - Relative values (e.g. less/more; a little, somewhat, very)
    - Much easier to elicit
    - Prioritization becomes a sorting problem
- Comparison Process - options
  - Basic sorting - for every pair of requirements (i,j), ask if i>j?
    - E.g. bubblesort - start in random order, and swap each pair if out of order
    - requires  $n*(n-1)/2$  comparisons
  - Construct a Binary Sort Tree
    - Requires  $O(n \log n)$  comparisons
  - Construct a Minimal Spanning Tree
    - for each pair (R<sub>i</sub>, R<sub>i+1</sub>) get the distance between them
    - Requires n-1 comparisons

© 2006-7 Bethy HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---


---

---

---

---

MICHIGAN STATE UNIVERSITY Computer Science and Engineering



## Some complications

- Hard to *quantify* differences
  - easier to say "x is more important than y"...
  - ...than to estimate by how much.
- Not all requirements comparable
  - E.g. different level of abstraction
  - E.g. core functionality vs. customer enhancements
- Requirements may not be independent
  - No point selecting between X and Y if they are mutually dependent
- Stakeholders may not be consistent
  - E.g. If X > Y, and Y > Z, then presumably X > Z?
- Stakeholders might not agree
  - Different cost/value assessments for different types of stakeholder

© 2006-7 Bethy HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---


---

---

---


---

MICHIGAN STATE UNIVERSITY Computer Science and Engineering



## Hierarchical Prioritization

- Group Requirements into a hierarchy
  - E.g. A goal tree
  - E.g. A NFR tree
- Only make comparisons between branches of a single node:



© 2006-7 Bethy HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---

---

---

---

---

MICHIGAN STATE UNIVERSITY *Computer Science and Engineering*

## Analytic Hierarchy Process (AHP)

Source: Adapted from Karlsson & Ryan 1997

- Create  $n \times n$  matrix (for  $n$  requirements)
  - For element  $(x,y)$  in the matrix enter:
    - 1 - if  $x$  and  $y$  are of equal value
    - 3 - if  $x$  is slightly more preferred than  $y$
    - 5 - if  $x$  is strongly more preferred than  $y$
    - 7 - if  $x$  is very strongly more preferred than  $y$
    - 9 - if  $x$  is extremely more preferred than  $y$
    - (use the intermediate values, 2,4,6,8 if compromise needed)
  - ...and for  $(y,x)$  enter the reciprocal.
- Estimate the eigenvalues:
  - E.g. "averaging over normalized columns"
    - Calculate the sum of each column
    - Divide each element in the matrix by the sum of it's column
    - Calculate the sum of each row
    - Divide each row sum by the number of rows
- This gives a value for each reqt:
  - ...giving the estimated percentage of total value of the project

© 2006-7 Bethy HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---

---

---

---

---

---

---

MICHIGAN STATE UNIVERSITY *Computer Science and Engineering*

## AHP example - estimating costs

Source: Adapted from Karlsson & Ryan 1997

	Req1	Req2	Req3	Req4
Req1	1	1/3	2	4
Req2	3	1	5	3
Req3	1/2	1/5	1	1/3
Req4	1/4	1/3	3	1

Normalise columns

	Req1	Req2	Req3	Req4
Req1	0.21	0.18	0.18	0.48
Req2	0.63	0.54	0.45	0.36
Req3	0.11	0.11	0.09	0.04
Req4	0.05	0.18	0.27	0.12

Sum the rows

	sum	sum/4
Req1	1.05	0.26
Req2	1.98	0.50
Req3	0.34	0.09
Req4	0.62	0.16

Result

- Req1 - 26% of the cost
- Req2 - 50% of the cost
- Req3 - 9% of the cost
- Req4 - 16% of the cost

© 2006-7 Bethy HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---

---

---

---

---

---

---

MICHIGAN STATE UNIVERSITY *Computer Science and Engineering*

## Plot ROI graph

Source: Adapted from Karlsson & Ryan 1997

- Do AHP process twice:
  - Once to estimate relative value
  - Once to estimate relative cost
- Use results to calculate ROI ratio:

© 2006-7 Bethy HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---

---

---

---

---

---

---

MICHIGAN STATE UNIVERSITY *Computer Science and Engineering*

### Other selection criteria

*Source: Adapted from Park et al., 1999*

- ROI ratio is not the only way to group requirements

© 2006-7 Bethy HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---

---

---

---

---

---

---

---

---

MICHIGAN STATE UNIVERSITY *Computer Science and Engineering*

### Visualizing "Value by stakeholder"

*Source: Adapted from Regnell et al., 2000*

10 Stakeholders: M1, M2, M3, M4, M5, M6, M7, M8, M9, M10

18 Features (labeled A-Q + Z)

Variation coefficient (right hand scale) "Level of disagreement for each feature"

© 2006-7 Bethy HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---

---

---

---

---

---

---

---

---

MICHIGAN STATE UNIVERSITY *Computer Science and Engineering*

### Visualizing stakeholder satisfaction

*Source: Adapted from Regnell et al., 2000*

- Graph showing correlation between stakeholder's priorities and the group's priorities
  - Can also be thought of as "influence of each stakeholder on the group"

© 2006-7 Bethy HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---

---

---

---

---

---

---

---

---

MICHIGAN STATE UNIVERSITY Computer Science and Engineering

**Can also weight each stakeholder**

- Weight each stakeholder
  - E.g. to reflect credibility?
  - E.g. to reflect size of constituency represented?

Source: Adapted from Regnell et al., 2000

Result:  
(The priorities have changed)

© 2006-7 Betty HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---

---

---

---

---

---

---

MICHIGAN STATE UNIVERSITY Computer Science and Engineering

**Resolving Stakeholder Conflict**

- Causes of Conflict
  - Deutsch (1973):
    - control over resources
    - preferences and nuisances (tastes or activities of one party impinge upon another)
    - values (a claim that a value or set of values should dominate)
    - beliefs (dispute over facts, information, reality, etc.)
    - the nature of the relationship between the parties.
  - Robbins (1989):
    - communicational (insufficient exchange of information, noise, selective perception)
    - structural (goal compatibility, jurisdictional clarity, leadership style)
    - personal factors, (individual value systems, personality characteristics).
- Interesting Results
  - deviant behavior & conflict are normal in small group decision making
  - more aggression and less co-operation when communication is restricted
    - a decrease in communication tends to intensify a conflict (the contact hypothesis)
  - heterogeneous teams experience more conflict;
  - homogeneous groups are more likely to make high risk decisions (groupthink)

© 2006-7 Betty HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---

---

---

---

---

---

---

MICHIGAN STATE UNIVERSITY Computer Science and Engineering

**Basic approaches to conflict resolution**

- Negotiation
  - ...is collaborative exploration:
    - participants seek a settlement that satisfies all parties as much as possible.
  - also known as:
    - integrative behaviour
    - constructive negotiation
  - distinct from:
    - distributive/competitive negotiation
- Competition
  - is maximizing your own gain:
    - no regard for the degree of satisfaction of other parties.
    - but not necessarily hostile!
  - Extreme form:
    - when all gains by one party are at the expense of others
    - i.e. a zero-sum game.
- Third Party Resolution
  - participants appeal to outside source
    - the rule-book, a figure of authority, or the toss of a coin.
    - can occur with the breakdown of either negotiation or competition as resolution methods.
  - **judicial**: cases presented by each participant are taken into account
  - **extra-judicial**: a decision is determined by factors other than the cases presented
    - (e.g. relative status of participants).
  - **arbitrary**: e.g. toss of a coin

© 2006-7 Betty HC Cheng. This presentation is available free for non-commercial use with attribution under a creative commons license. Acknowledge: S. Easterbrook

---

---

---

---

---

---

---

---

---

---