

Revising Distributed UNITY Programs is NP-Complete*

Borzoo Bonakdarpour and Sandeep S. Kulkarni

Department of Computer Science and Engineering
Michigan State University
East Lansing, MI 48824, U.S.A.
{borzoo, sandeep}@cse.msu.edu

Abstract. We focus on automated revision techniques for adding UNITY properties to distributed programs. We show that unlike centralized programs, where multiple safety properties along with one progress property can be simultaneously added in polynomial-time, addition of only one safety or one progress property to distributed programs is NP-complete. We also propose an efficient symbolic heuristic for adding a *leads-to* property to a distributed program. We demonstrate the application of this heuristic in automated synthesis of recovery paths in fault-tolerant distributed programs.

Keywords: UNITY, Distributed programs, Automated revision, Transformation, Repair, Complexity, Formal methods.

1 Introduction

Program correctness is an important aspect and application of formal methods. There are two ways to achieve correctness when designing programs: *correct-by-verification* and *correct-by-construction*. Applying the former often involves a cycle of design, verification, and subsequently manual repair if the verification step does not succeed. The latter, however, achieves correctness in an automated fashion.

Taking the paradigm of correct-by-construction to extreme leads us to synthesizing programs from their specification. While synthesis from specification is undoubtedly useful, it suffers from lack of *reuse*. In *program revision*, on the other hand, one can transform an input program into an output program that meets additional properties. As a matter of fact, such properties are frequently identified during a system's life cycle in practice due to reasons such as incomplete specification, renovation of specification, and change of environment. As a

* This is an extended version of a paper appeared in the proceedings of OPODIS'08: International Conference on Principles of Distributed Systems, LNCS, Springer-Verlag, 2008. This work was partially sponsored by NSF CAREER CCR-0092724 and ONR Grant N00014-01-1-0744.

concrete example, consider the case where a program is diagnosed with a failed property by a model checker. In such a case, access to automated transformation methods that revise the program at hand with respect to the failed property is highly advantageous. For such revision to be useful, in addition to satisfaction of new properties, the output program must inevitably preserve existing properties of the input program as well.

In our previous work in this context [EKB05], we focused on revising *centralized programs*, where processes can read and write all program variables in one atomic step, with respect to UNITY [CM88] properties. Our interest in UNITY properties is due to the fact that they have been found highly expressive in specifying a large class of programs. In [EKB05], we showed that adding a conjunction of multiple UNITY *safety* properties (i.e., *unless*, *stable*, and *invariant*) along with one *progress* property (i.e., *leads-to* and *ensures*) can be achieved in polynomial-time. We also showed that the problem becomes NP-complete if we consider simultaneous addition of two progress properties. We emphasize that our revision method in [EKB05] ensures satisfaction of all existing UNITY properties of the input program as well.

In this paper, we shift our focus to *distributed programs* where processes can read and write only a subset of program variables. We expect the concept of program revision to play a more crucial role in the context of distributed programs, since non-determinism and race conditions make it significantly difficult to assert program correctness. We find somewhat unexpected results about the complexity of adding UNITY properties to distributed programs. In particular, we find that the problem of adding only one UNITY safety property or one progress property to a distributed program is NP-complete in the size of the input program’s state space.

The knowledge of these complexity bounds is especially important in building tools for incremental synthesis. In particular, the NP-completeness results demonstrate that tools for revising distributed programs must utilize efficient heuristics to expedite the revision algorithm at the cost of *completeness*. Moreover, NP-completeness proofs often identify where the exponential complexity lies in the problem. Thus, thorough analysis of proofs is also crucial in devising efficient heuristics.

With this motivation, in this paper, we also propose an efficient symbolic heuristic that adds a *leads-to* property to a distributed program. We integrate this heuristic with our tool SYCRAFT [BK08] that is designed for adding fault-tolerance to existing distributed programs. Meeting *leads-to* properties are of special interest in fault-tolerant computing where *recovery* within a finite number of steps is essential. To this end, one can first augment the program with all possible recovery transitions that it can use. This augmented program clearly does not guarantee that it would recover to a set of legitimate states, although there is a potential to reach the legitimate states from states reached in the presence of faults. In particular, it may continue to execute on a cycle that is entirely outside the legitimate states. Thus, we apply our heuristic for adding a *leads-to* property to modify the augmented program so that from any state reachable

in the presence of faults, the program is guaranteed recovery to its legitimate states within a finite number of steps. A by-product of the heuristic for adding leads-to properties is a cycle resolution algorithm. Our experimental results show that this algorithm can also be integrated with state-of-the-art model checkers for assisting in developing programs that are correct-by-construction.

Organization. The rest of the paper is organized as follows. In Section 2, we present the preliminary concepts. Then, we formally state the revision problem in Section 3. Section 4 is dedicated to complexity analysis of addition of UNITY safety properties to distributed programs. In Section 5, we present our results on the complexity of addition of UNITY progress properties. We also present our symbolic heuristic and experimental results in Section 5. Related work is discussed in Section 6. We conclude in Section 7. Appendix A provides a summary of notations.

2 Preliminary Concepts

In this section, we formally define the notion of distributed programs. We also reiterate the concept of UNITY properties introduced by Chandy and Misra [CM88].

2.1 Distributed Programs

Intuitively, we define a distributed program in terms of a set of processes. Each process is in turn specified by a state-transition system and is constrained by some read/write restrictions over its set of variables.

Let $V = \{v_0, v_1 \dots v_n\}$ be a finite set of variables with finite domains $D_0, D_1 \dots D_n$, respectively. A *state*, say s , is determined by mapping each variable v_i in V , $0 \leq i \leq n$, to a value in D_i . We denote the value of a variable v in state s by $v(s)$. The set of all possible states obtained by variables in V is called the *state space* and is denoted by \mathcal{S} . A *transition* is a pair of states of the form (s_0, s_1) where $s_0, s_1 \in \mathcal{S}$.

Definition 1 (state predicate) Let \mathcal{S} be the state space obtained from variables in V . A *state predicate* is a subset of \mathcal{S} . ■

Definition 2 (transition predicate) Let \mathcal{S} be the state space obtained from variables in V . A *transition predicate* is a subset of $\mathcal{S} \times \mathcal{S}$. ■

Definition 3 (process) A process p is specified by the tuple $\langle V_p, T_p, R_p, W_p \rangle$ where V_p is a set of variables, T_p is a transition predicate in the state space of p (denoted \mathcal{S}_p), R_p is a set of variables that p can read, and W_p is a set of variables that p can write such that $W_p \subseteq R_p \subseteq V_p$ (i.e., we assume that p cannot blindly write a variable). ■

Write restrictions. Let $p = \langle V_p, T_p, R_p, W_p \rangle$ be a process. Clearly, T_p must be disjoint from the following transition predicate due to inability of p to change the value of variables that p cannot write:

$$NW_p = \{(s_0, s_1) \mid v(s_0) \neq v(s_1) \text{ where } v \notin W_p\}.$$

Read restrictions. Let $p = \langle V_p, T_p, R_p, W_p \rangle$ be a process, v be a variable in V_p , and $(s_0, s_1) \in T_p$ where $s_0 \neq s_1$. If v is not in R_p , then p must include a corresponding transition from all states s'_0 where s'_0 and s_0 differ only in the value of v . Let (s'_0, s'_1) be one such transition. Now, it must be the case that s_1 and s'_1 are identical except for the value of v , and, the value of v must be the same in s'_0 and s'_1 . For instance, let $V_p = \{a, b\}$ and $R_p = \{a\}$. Since p cannot read b , the transition $([a = 0, b = 0], [a = 1, b = 0])$ and the transition $([a = 0, b = 1], [a = 1, b = 1])$ have the same effect as far as p is concerned. Thus, each transition (s_0, s_1) in T_p is associated with the following *group predicate*:

$$\begin{aligned} \text{Group}_p(s_0, s_1) = \{ & (s'_0, s'_1) \mid \\ & (\forall v \notin R_p : (v(s_0) = v(s_1) \wedge v(s'_0) = v(s'_1))) \wedge \\ & (\forall v \in R_p : (v(s_0) = v(s'_0) \wedge v(s_1) = v(s'_1)))\}. \end{aligned}$$

Definition 4 (distributed program) A *distributed program* Π is specified by the tuple $\langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ where \mathcal{P}_Π is a set of processes and \mathcal{I}_Π is a set of initial states. Without loss of generality, we assume that the state space of all processes in \mathcal{P}_Π is identical (i.e., $\forall p, q \in \mathcal{P}_\Pi :: (V_p = V_q) \wedge (D_p = D_q)$). Thus, the set of variables (denoted V_Π) and state space of program Π (denoted \mathcal{S}_Π) are identical to the set of variables and state space of processes of Π , respectively. In this sense, the set \mathcal{I}_Π of initial states of Π is a subset of \mathcal{S}_Π . ■

Notation. Let $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ be a distributed program (or simply a program). The set \mathcal{T}_Π denotes the collection of transition predicates of all processes of Π , i.e., $\mathcal{T}_\Pi = \bigcup_{p \in \mathcal{P}_\Pi} T_p$.

Definition 5 (computation) Let $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ be a program. An infinite sequence of states $\bar{s} = \langle s_0, s_1 \dots \rangle$ is a *computation* of Π iff the following three conditions are satisfied: (1) $s_0 \in \mathcal{I}_\Pi$, (2) $\forall i \geq 0 : (s_i, s_{i+1}) \in \mathcal{T}_\Pi$, and (3) if \bar{s} reaches a *terminating* state s_l where there does not exist s such that $s \neq s_l$ and $(s_l, s) \in \mathcal{T}_\Pi$, then we extend \bar{s} to an infinite computation by stuttering at s_l using transition (s_l, s_l) . ■

Notice that we distinguish between a terminating computation and a *deadlocked* computation. Precisely, if a computation \bar{s} reaches a terminating state s_d such that there exists no process p in \mathcal{P}_Π where $(s_d, s) \in T_p$ for some state s , then s_d is a *deadlock state* and \bar{s} is a *deadlocked computation*. For a distributed program $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$, we say that a sequence of states $\bar{s} = \langle s_0, s_1 \dots s_n \rangle$ is a *computation prefix* of Π iff $\forall j \mid 0 \leq j < n : (s_j, s_{j+1}) \in \mathcal{T}_\Pi$.

2.2 UNITY Properties

We now present the formal definitions for the UNITY properties introduced by Chandy and Misra [CM88]. UNITY properties are categorized by two classes of *safety* and *progress* properties defined next.

Definition 6 (UNITY safety properties) Let P and Q be arbitrary state predicates.

- (Unless) An infinite sequence of states $\bar{s} = \langle s_0, s_1 \dots \rangle$ satisfies ‘ P unless Q ’ iff $\forall i \geq 0 : (s_i \in (P \cap \neg Q)) \Rightarrow (s_{i+1} \in (P \cup Q))$. Intuitively, if P holds in a state of \bar{s} , then either (1) Q never holds in \bar{s} and P is continuously true, or (2) Q becomes true and P holds at least until Q becomes true.
- (Stable) An infinite sequence of states $\bar{s} = \langle s_0, s_1 \dots \rangle$ satisfies ‘stable P ’ iff \bar{s} satisfies P unless *false*. Intuitively, P is **stable** iff once it becomes true, it remains true forever.
- (Invariant) An infinite sequence of states $\bar{s} = \langle s_0, s_1 \dots \rangle$ satisfies ‘invariant P ’ iff $s_0 \in P$ and \bar{s} satisfies **stable P** . An **invariant** property always holds. ■

Definition 7 (UNITY progress properties) Let P and Q be arbitrary state predicates.

- (Leads-to) An infinite sequence of states $\bar{s} = \langle s_0, s_1 \dots \rangle$ satisfies ‘ P leads-to Q ’ iff $(\forall i \geq 0 : (s_i \in P) \Rightarrow (\exists j \geq i : s_j \in Q))$. In other words, if P holds in a state s_i , $i \geq 0$, of \bar{s} , then there exists a state s_j in \bar{s} , $i \leq j$, such that Q holds in s_j .
- (Ensures) An infinite sequence of states $\bar{s} = \langle s_0, s_1 \dots \rangle$ satisfies ‘ P ensures Q ’ iff for all i , $i \geq 0$, if $P \cap \neg Q$ is true in state s_i , then (1) $s_{i+1} \in (P \cup Q)$, and (2) $\exists j \geq i : s_j \in Q$. In other words, if P becomes true in s_i , there exists a state s_j where Q eventually becomes true and P remains true everywhere in between s_i and s_j . ■

In our formal framework, unlike standard UNITY in which *interleaved fairness* is assumed, we assume that all program computations are unfair. This assumption is necessary when dealing with addition of UNITY progress properties to programs. We also note that the definition of **ensures** property is slightly different from that in [CM88]. Precisely, in Chandy and Misra’s definition, P **ensures** Q implies that (1) P **leads-to** Q , (2) P **unless** Q , and (3) there is at least one action that always establishes Q whenever it is executed in a state where P is true and Q is false. Since, we do not model actions explicitly in our work, we have removed the third requirement. Finally, as described in Subsection 2.1, in this paper, our focus is only on programs with *finite* state space.

We now define what it means for a program to refine a UNITY property. Note that throughout this paper, we assume that a program and its properties have identical state space.

Definition 8 (refines) Let $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ be a program and \mathcal{L} be a UNITY property. We say that Π refines \mathcal{L} iff all computations of Π are infinite and satisfy \mathcal{L} . ■

Definition 9 (specification) A UNITY *specification* Σ is the conjunction $\bigwedge_{i=1}^n \mathcal{L}_i$ where each \mathcal{L}_i is a UNITY safety or progress property. ■

One can easily extend the notion of refinement to UNITY specifications as follows. Given a program Π and a specification $\Sigma = \bigwedge_{i=1}^n \mathcal{L}_i$, we say that Π refines Σ iff for all i , $1 \leq i \leq n$, Π refines \mathcal{L}_i .

Concise representation of safety properties. Observe that the UNITY safety properties can be characterized in terms of a set of *bad transitions* that should never occur in a program computation. For example, *stable P* requires that a transition, say (s_0, s_1) , where $s_0 \in P$ and $s_1 \notin P$, should never occur in any computation of a program that refines *stable P*. Hence, for simplicity, in this paper, when dealing with safety UNITY properties of a program $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$, we assume that they are represented by a transition predicate $\mathcal{B} \subseteq \mathcal{S}_\Pi \times \mathcal{S}_\Pi$ whose transitions should never occur in any computation.

3 Problem Statement

Given are a program $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ and a (new) UNITY specification Σ_n . Our goal is to devise an automated method which revises Π so that the revised program (denoted $\Pi' = \langle \mathcal{P}_{\Pi'}, \mathcal{I}_{\Pi'} \rangle$) (1) refines Σ_n , and (2) continues refining its existing UNITY specification Σ_e , where Σ_e is unknown. Thus, during the revision, we only want to reuse the correctness of Π with respect to Σ_e in the sense that the correctness of Π' with respect to Σ_e is derived from ‘ Π refines Σ_e ’.

Intuitively, in order to ensure that the revised program Π' continues refining the existing specification Σ_e , we constrain the revision problem so that the set of computations of Π' is a subset of the set of computations of Π . In this sense, since UNITY properties are not existentially quantified (unlike in CTL), we are guaranteed that all computations of Π' satisfy the UNITY properties that participate in Σ_e .

Now, we formally identify constraints on $\mathcal{S}_{\Pi'}$, $\mathcal{I}_{\Pi'}$, and $\mathcal{T}_{\Pi'}$. Observe that if $\mathcal{S}_{\Pi'}$ contains states that are not in \mathcal{S}_Π , there is no guarantee that the correctness of Π with respect to Σ_e can be reused to ensure that Π' refines Σ_e . Also, since \mathcal{S}_Π denotes the set of all states (not just reachable states) of Π , removing states from \mathcal{S}_Π is not advantageous. Likewise, $\mathcal{I}_{\Pi'}$ should not have any states that were not there in \mathcal{I}_Π . Moreover, since \mathcal{I}_Π denotes the set of all initial states of Π , we should preserve them during the revision. Finally, we require that $\mathcal{T}_{\Pi'}$ should be a subset of \mathcal{T}_Π . Note that not all transitions of \mathcal{T}_Π may be preserved in $\mathcal{T}_{\Pi'}$. Hence, we must ensure that Π' does not deadlock. Based on Definitions 8 and 9, if (i) $\mathcal{T}_{\Pi'} \subseteq \mathcal{T}_\Pi$, (ii) Π' does not deadlock, and (iii) Π refines Σ_e , then Π' also refines Σ_e . Thus, the *revision problem* is formally defined as follows:

Problem Statement 1 Given a program $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ and a UNITY specification Σ_n , identify $\Pi' = \langle \mathcal{P}_{\Pi'}, \mathcal{I}_{\Pi'} \rangle$ such that:

- (C1) $\mathcal{S}_{\Pi'} = \mathcal{S}_\Pi$,
- (C2) $\mathcal{I}_{\Pi'} = \mathcal{I}_\Pi$,
- (C3) $\mathcal{T}_{\Pi'} \subseteq \mathcal{T}_\Pi$, and
- (C4) Π' refines Σ_n . ■

Note that the requirement of deadlock freedom is not explicitly specified in the above problem statement, as it follows from ‘ Π' refines Σ_n ’. Throughout the paper, we use ‘*revision* of Π with respect to a specification Σ_n (or property \mathcal{L})’ and ‘*addition* of Σ_n (respectively, \mathcal{L}) to Π ’ interchangeably. In Sections 4 and 5, we present our results on developing automated methods that solve the above revision problem with respect to different types of UNITY properties.

4 Adding UNITY Safety Properties to Distributed Programs

As mentioned in Section 2, UNITY safety properties can be characterized by a transition predicate, say \mathcal{B} , whose transitions should occur in no computation of a program. In a centralized setting where processes have no restrictions on reading and writing variables, a program $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ can be easily revised with respect to \mathcal{B} by simply (1) removing the transitions in \mathcal{B} from \mathcal{T}_Π , and (2) making newly created deadlock states unreachable [EKB05].

To the contrary, the above approach is not adequate for a distributed setting, as it is *sound* (i.e., it constructs a correct program), but not *complete* (i.e., it may fail to find a solution while there exists one). This is due to the issue of read restrictions in distributed programs, which associates each transition of a process with a group predicate. This notion of grouping makes the revision complex, as a revision algorithm has to examine many combinations to determine which group of transitions must be removed and, hence, what deadlock states need to be handled. Indeed, we show that the issue of read restrictions changes the class of complexity of the revision problem entirely.

Instance. A distributed program $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ and a UNITY safety specification Σ_n .

Decision problem. Does there exist a program $\Pi' = \langle \mathcal{P}_{\Pi'}, \mathcal{I}_{\Pi'} \rangle$ such that Π' meets the constraints of Problem Statement 1 for the above instance?

We now show that the above decision problem is NP-complete by a reduction from the well-known *satisfiability* problem. The SAT problem is as follows:

Let $x_1, x_2 \cdots x_N$ be propositional *variables*. Given a Boolean formula $y = y_{N+1} \wedge y_{N+2} \cdots y_{M+N}$, where each *clause* y_j , $N + 1 \leq j \leq M + N$, is a disjunction of three or more literals, does there exist an assignment of truth values to $x_1, x_2 \cdots x_N$ such that y is satisfiable?

We note that the unconventional subscripting of clauses in the above definition of the SAT problem is deliberately chosen to make our proofs simpler.

Theorem 1. *The problem of adding a UNITY safety property to a distributed program is NP-complete.*

Proof. Since showing membership to NP is straightforward, we only need to show that the problem is NP-hard. Towards this end, we present a polynomial-time mapping from an instance of the SAT problem to a corresponding instance of our revision problem. Intuitively, the mapped instance $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ consists of four processes. Each process is obviously specified by its variables and reachable states using a certain set of transitions. Moreover, each process is subject to certain read/write restrictions. These restrictions along with the assignment of values to variables of processes determine the grouping structure of the instance. The mapped instance also specifies the set of initial states and the safety specification. The structure of the mapped instance is such that the answer to the SAT problem is affirmative if and only if there exists a solution to the revision problem with respect to Π . We construct the instance $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ as follows.

Variables. The set of variables of program Π and, hence, its processes is $V = \{v_0, v_1, v_2, v_3, v_4\}$. The domain of these variables are respectively as follows: $\{-1, 0, 1\}$, $\{-1, 0, 1\}$, $\{0, 1\}$, $\{0, 1\}$, $\{-N \cdots -2, -1, 1, 2 \cdots M + N\} \cup \{j^i \mid (1 \leq i \leq N) \wedge (N + 1 \leq j \leq M + N)\}$. We note that j^i in the last set is not an exponent, but a denotational symbol.

Reachable states. The set of reachable states in our mapping is as follows:

- For each propositional variable x_i , $1 \leq i \leq N$, in the instance of the SAT problem, we introduce the following states (see Figure 1): $a_i, b_i, b'_i, c_i, c'_i, d_i$, and d'_i . We require that states a_1 and a_{N+1} are identical.
- For each clause y_j , $N + 1 \leq j \leq M + N$, we introduce state r_j .
- For each clause y_j , $N + 1 \leq j \leq M + N$, and variable x_i in clause y_j , $1 \leq i \leq N$, we introduce the following states: $r_{ji}, s_{ji}, s'_{ji}, t_{ji}$, and t'_{ji} .

Value assignments. Assignment of values to each variable at reachable states is shown in Figure 1 (denoted by $\langle v_0, v_1, v_2, v_3, v_4 \rangle$). We emphasize that assignment of values in our mapping is the most crucial factor in forming group predicates. For reader's convenience, Table 1 illustrates the assignment of values to variables more clearly.

Processes. Program Π consists of four processes. Formally, $\mathcal{P}_\Pi = \{p_1, p_2, p_3, p_4\}$. Transition predicate and read/write restrictions of processes in \mathcal{P}_Π are as follows:

State / Variable name	v_0	v_1	v_2	v_3	v_4
a_i	-1	1	0	1	i
b_i	0	0	0	0	$-i$
b'_i	0	0	0	0	i
c_i	1	0	1	1	$-i$
c'_i	0	1	1	1	i
d_i	0	1	1	1	$-i$
d'_i	1	0	1	1	i

(a)

State / Variable name	v_0	v_1	v_2	v_3	v_4
r_j	0	0	1	0	j
r_{ji}	0	0	0	0	j^i
s_{ji}	0	1	1	1	j^i
s'_{ji}	1	0	1	1	j^i
t_{ji}	1	-1	0	1	j^i
t'_{ji}	-1	-1	0	1	j^i

(b)

Table 1. Assignment of values to variables in proof of Theorem 1.

- **Read/write restrictions.** The read/write restrictions of processes p_1 , p_2 , p_3 , and p_4 are as follows:
 - $R_{p_1} = \{v_0, v_2, v_3\}$ and $W_{p_1} = \{v_0, v_2, v_3\}$.
 - $R_{p_2} = \{v_1, v_2, v_3\}$ and $W_{p_2} = \{v_1, v_2, v_3\}$.
 - $R_{p_3} = \{v_0, v_1, v_2, v_3, v_4\}$ and $W_{p_3} = \{v_0, v_1, v_2, v_4\}$.
 - $R_{p_4} = \{v_0, v_1, v_2, v_3, v_4\}$ and $W_{p_4} = \{v_0, v_1, v_3, v_4\}$.
- **Transition predicates.** For each propositional variable x_i , $1 \leq i \leq N$, we include the following transitions in processes p_1 , p_2 , p_3 , and p_4 (see Figure 1):
 - $T_{p_1} = \{(b'_i, d'_i), (b_i, c_i) \mid 1 \leq i \leq N\}$.
 - $T_{p_2} = \{(b'_i, c'_i), (b_i, d_i) \mid 1 \leq i \leq N\}$.
 - $T_{p_3} = \{(c'_i, a_{i+1}), (c_i, a_{i+1}), (d'_i, a_{i+1}), (d_i, a_{i+1}) \mid 1 \leq i \leq N\}$.
 - $T_{p_4} = \{(a_i, b_i), (a_i, b'_i) \mid 1 \leq i \leq N\}$.

Moreover, corresponding to each clause y_j , $N+1 \leq j \leq M+N$, and variable x_i , $1 \leq i \leq N$, in clause y_j , we include transition (r_j, r_{ji}) in T_{p_3} and the following:

- If x_i is a literal in clause y_j , then we include transition (r_{ji}, s_{ji}) in T_{p_2} , (s_{ji}, t_{ji}) in T_{p_3} , and (t_{ji}, b_i) in T_{p_4} .
- If $\neg x_i$ is a literal in clause y_j , then we include transition (r_{ji}, s'_{ji}) in T_{p_1} , (s'_{ji}, t'_{ji}) in T_{p_3} , and (t'_{ji}, b'_i) in T_{p_4} .

Note that only for the sake of illustration, Figure 1 shows all possible transitions. However, in order to construct Π , based on the existence of x_i or $\neg x_i$ in y_j , we only include a subset of the transitions.

Initial states. The set \mathcal{I}_Π of initial states represents clauses of the instance of the SAT problem, i.e., $\mathcal{I}_\Pi = \{r_j \mid N+1 \leq j \leq M+N\}$.




Fig. 1. Mapping SAT to addition of UNITY safety properties.

Safety property. Let P be a state predicate that contains all reachable states in Figure 1 except c_i and c'_i (i.e., $c_i, c'_i \in \neg P$). Thus, the properties stable P and invariant P can be characterized by the transition predicate $\mathcal{B} = \{(b_i, c_i), (b'_i, c'_i) \mid 1 \leq i \leq N\}$. Similarly, let P and Q be two state predicates that contain all reachable states in Figure 1 except c_i and c'_i . Thus, the safety property P unless Q can be characterized by \mathcal{B} as well. In our mapping, we let \mathcal{B} represent the safety specification for which Π has to be revised.

Before we present our reduction from the SAT problem using the above mapping, we make the following observations regarding the grouping of transitions in different processes:

1. Due to inability of process p_1 to read variable v_4 , for all i , $1 \leq i \leq N$, transitions (r_{ji}, s'_{ji}) , (b'_i, d'_i) , and (b_i, c_i) are grouped in p_1 .
2. Due to inability of process p_2 to read variable v_4 , for all i , $1 \leq i \leq N$, transitions (r_{ji}, s_{ji}) , (b_i, d_i) , and (b'_i, c'_i) are grouped in p_2 .
3. Transitions grouped with the rest of the transitions in Figure 1 are unreachable and, hence, are irrelevant.

Now, we show that the answer to the SAT problem is affirmative if and only if there exists a solution to the revision problem. Thus, we distinguish two cases:

- (\Rightarrow) First, we show that if the given instance of the SAT formula is satisfiable, then there exists a solution that meets the requirements of the revision decision problem. Since the SAT formula is satisfiable, there exists an assignment of truth values to all variables x_i , $1 \leq i \leq N$, such that each y_j , $N+1 \leq j \leq M+N$, is true. Now, we identify a program Π' , that is obtained by adding the safety property represented by \mathcal{B} to program Π as follows.
 - The state space of Π' consists of all the states of Π , i.e., $\mathcal{S}_{\Pi} = \mathcal{S}_{\Pi'}$.
 - The initial states of Π' consists of all the initial states of Π , i.e., $\mathcal{I}_{\Pi} = \mathcal{I}_{\Pi'}$.

- For each variable x_i , $1 \leq i \leq N$, if x_i is *true*, then we include the following transitions: (a_i, b_i) in T_{p_4} , (b_i, d_i) in T_{p_2} , and (d_i, a_{i+1}) in T_{p_3} .
- For each variable x_i , $1 \leq i \leq N$, if x_i is *false*, then we include the following transitions: (a_i, b'_i) in T_{p_4} , (b'_i, d'_i) in T_{p_1} , and (d'_i, a_{i+1}) in T_{p_3} .
- For each clause y_j , $N + 1 \leq j \leq M + N$, that contains literal x_i , if x_i is *true*, we include the following transitions: (r_j, r_{ji}) and (s_{ji}, t_{ji}) in T_{p_3} , (r_{ji}, s_{ji}) in T_{p_2} , and (t_{ji}, b_i) in T_{p_4} .
- For each clause y_j , $N + 1 \leq j \leq M + N$, that contains literal $\neg x_i$, if x_i is *false*, we include the following transitions: (r_j, r_{ji}) and (s'_{ji}, t'_{ji}) in T_{p_3} , (r_{ji}, s'_{ji}) in T_{p_1} , and (t'_{ji}, b'_i) in T_{p_4} .

As an illustration, we show the partial structure of Π' , for the formula $(x_1 \vee \neg x_2 \vee x_3) \wedge (x_1 \vee x_2 \vee \neg x_4)$, where $x_1 = \text{true}$, $x_2 = \text{false}$, $x_3 = \text{false}$, and $x_4 = \text{false}$, in Figure 2. Notice that states whose all outgoing and incoming transitions are eliminated are not illustrated. Now, we show that Π' meets the requirements of the Problem Statement 1:

1. The first three constraints of the decision problem are trivially satisfied by construction.
 2. We now show that constraint C4 holds. First, it is easy to observe that by construction, there exist no reachable deadlock states in the revised program. Hence, if Π refines UNITY specification Σ_e , then Π' refines Σ_e as well. Moreover, if a computation of Π' reaches a state b_i for some i , from an initial state r_j (i.e., x_i is *true* in clause y_j), then that computation cannot violate safety since bad transition (b_i, c_i) is removed. This is due to the fact that (b_i, c_i) is grouped with transition (r_{ji}, s'_{ji}) and this transition is not included in $\mathcal{T}_{\Pi'}$, as literal x_i is *true* in y_j . Likewise, if a computation of Π' reaches a state b'_i for some i , from initial state r_j (i.e., x_i is *false* in clause y_j), then that computation cannot violate safety since transition (b'_i, c'_i) is removed. This is due to the fact that (b'_i, c'_i) is grouped with transition (r_{ji}, s_{ji}) and this transition is not included in $\mathcal{T}_{\Pi'}$, as x_i is *false*. Thus, Π' refines Σ_n .
- (\Leftarrow) Next, we show that if there exists a solution to the revision problem for the instance identified by our mapping from the SAT problem, then the given SAT formula is satisfiable. Let Π' be the program that is obtained by adding the safety property Σ_n to program Π . Now, in order to obtain a solution for SAT, we proceed as follows. If there exists a computation of Π' where state b_i is reachable, then we assign x_i the truth value *true*. Otherwise, we assign the truth value *false*.

We now show that the above truth assignment satisfies all clauses. Let y_j be a clause for some j , $N + 1 \leq j \leq M + N$, and let r_j be the corresponding initial state in $\mathcal{I}_{\Pi'}$. Since r_j is an initial state and Π' cannot deadlock, the transition (r_j, r_{ji}) must be present in $\mathcal{T}_{\Pi'}$, for some i , $1 \leq i \leq N$. By the same argument, there must exist some transition that originates from r_{ji} . This transition terminates in either s_{ji} or s'_{ji} . Observe that $\mathcal{T}_{\Pi'}$ cannot have both transitions, as grouping of transitions will include both (b_i, c_i) and (b'_i, c'_i) which in turn causes violation of safety by Π' . Now, if the transition from




Fig. 2. The structure of the revised program for Boolean formula $(x_1 \vee \neg x_2 \vee x_3) \wedge (x_1 \vee x_2 \vee \neg x_4)$, where $x_1 = \text{true}$, $x_2 = \text{false}$, $x_3 = \text{false}$, and $x_4 = \text{false}$.

r_{ji} terminates in s_{ji} , then clause y_j contains literal x_i and x_i is assigned the truth value *true*. Hence, y_j evaluates to true. Likewise, if the transition from r_{ji} terminates in s'_{ji} , then clause y_j contains literal $\neg x_i$ and x_i is assigned the truth value *false*. Hence, y_j evaluates to true. Therefore, the assignment of values considered above is a satisfying truth assignment for the given SAT formula. ■

5 Adding UNITY Progress Properties to Distributed Programs

This section is organized as follows. In Subsection 5.1, we show that adding a UNITY progress property to a distributed program is NP-complete. Then, in Subsection 5.2, we present a symbolic heuristic for adding a leads-to property to a distributed program.

5.1 Complexity

In a centralized setting, where programs have no restriction on reading and writing variables, a program, say $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$, can be easily revised with respect to a progress property by simply (1) breaking non-progress cycles that prevent a program to eventually reach a desirable state predicate, and (2) removing deadlock states [EKB05]. To the contrary, in a distributed setting, due to the issue of grouping, it matters which transition (and as a result its corresponding group) is removed to break a non-progress cycle.

Instance. A distributed program $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ and a UNITY progress property Σ_n .

Decision problem. Does there exist a program $\Pi' = \langle \mathcal{P}_{\Pi'}, \mathcal{I}_{\Pi'} \rangle$ such that Π' meets the constraints of Problem Statement 1 for the above instance?

Theorem 2. *The problem of adding a UNITY progress property to a distributed program is NP-complete.*

Proof. Since showing membership to NP is straightforward, we only show that the problem is NP-hard by a reduction from the SAT problem. First, we present a polynomial-time mapping.

Variables. The set of variables of program Π and, hence, its processes is $V = \{v_0, v_1, v_2, v_3, v_4\}$. The domain of these variables are respectively as follows: $\{0, 1\}$, $\{0, 1\}$, $\{-N \cdots -2, -1, 1, 2 \cdots M + N\} \cup \{j^i \mid (1 \leq i \leq N) \wedge (N + 1 \leq j \leq M + N)\}$, $\{-1, 0, 1\}$, and $\{-1, 0, 1\}$.

Reachable states. The set of reachable states in our mapping is as follows:

- For each propositional variable x_i , $1 \leq i \leq N$, we introduce the following states (see Figure 3): $a_i, a'_i, b_i, b'_i, c_i, c'_i, d_i, d'_i, Q_i$, and Q'_i .
- For each clause y_j , $N + 1 \leq j \leq M + N$, we introduce state r_j .
- For each clause y_j , $N + 1 \leq j \leq M + N$, and variable x_i , $1 \leq i \leq N$, in clause y_j , we introduce states r_{ji}, s_{ji} , and s'_{ji} .

Value assignments. Assignment of values to each variable at reachable states is shown in Figure 3 (denoted by $\langle v_0, v_1, v_2, v_3, v_4 \rangle$). For reader's convenience, Table 2 illustrates the assignment of values to variables more clearly.

Processes. Program Π consists of four processes. Formally, $\mathcal{P}_\Pi = \{p_1, p_2, p_3, p_4\}$. Transition predicate and read/write restrictions of processes in \mathcal{P}_Π are as follows:

- **Read/write restrictions.** The read/write restrictions of processes p_1, p_2, p_3 , and p_4 are as follows:
 - $R_{p_1} = \{v_0, v_1, v_3\}$ and $W_{p_1} = \{v_0, v_1, v_3\}$.
 - $R_{p_2} = \{v_0, v_1, v_4\}$ and $W_{p_2} = \{v_0, v_1, v_4\}$.
 - $R_{p_3} = \{v_0, v_1, v_2, v_3, v_4\}$ and $W_{p_3} = \{v_0, v_2, v_3, v_4\}$.
 - $R_{p_4} = \{v_0, v_1, v_2, v_3, v_4\}$ and $W_{p_4} = \{v_1, v_2, v_3, v_4\}$.
- **Transition predicates.** For each propositional variable x_i , $1 \leq i \leq N$, we include the following transitions in processes p_1, p_2, p_3 , and p_4 (see Figure 3):
 - $T_{p_1} = \{(b'_i, c'_i), (b_i, Q_i) \mid 1 \leq i \leq N\}$.
 - $T_{p_2} = \{(b_i, c_i), (b'_i, Q'_i) \mid 1 \leq i \leq N\}$.
 - $T_{p_3} = \{(a_i, b_i), (a'_i, b'_i), (c_i, d_i), (c'_i, d'_i), (Q_i, Q_i), (Q'_i, Q'_i) \mid 1 \leq i \leq N\}$.
 - $T_{p_4} = \{(d'_i, b_i), (d_i, b'_i) \mid 1 \leq i \leq N\}$.

State / Variable name	v_0	v_1	v_2	v_3	v_4
a_i	1	0	$-i$	-1	-1
a'_i	1	0	i	-1	1
b_i	0	0	$-i$	0	0
b'_i	0	0	i	0	0
c_i	1	1	$-i$	0	1
c'_i	1	1	i	1	0
d_i	0	1	i	1	-1
d'_i	0	1	$-i$	1	1
Q_i	1	1	$-i$	1	0
Q'_i	1	1	i	0	1

(a)

State / Variable name	v_0	v_1	v_2	v_3	v_4
r_j	0	1	j	1	1
r_{ji}	0	0	j^2	0	0
s_{ji}	1	1	j^2	0	1
s'_{ji}	1	1	j^2	1	0

(b)

Table 2. Assignment of values to variables in proof of Theorem 2.

Moreover, corresponding to each clause y_j , $N+1 \leq j \leq M+N$, and variable x_i , $1 \leq i \leq N$, in clause y_j , we include transition (r_j, r_{ji}) in T_{p_4} and the following:

- If x_i is a literal in clause y_j , then we include transition (r_{ji}, s_{ji}) in T_{p_2} , and (s_{ji}, a_i) in T_{p_4} .
- If $\neg x_i$ is a literal in clause y_j , then we include transition (r_{ji}, s'_{ji}) in T_{p_1} and (s'_{ji}, a'_i) in T_{p_4} .

Note that for the sake of illustration, Figure 3 shows all possible transitions. However, in order to construct Π' , based on the existence of x_i or $\neg x_i$ in y_j , we only include a subset of transitions.

Initial states. The set \mathcal{I}_Π of initial states represents clauses of the Boolean formula in the instance of the SAT problem, i.e., $\mathcal{I}_\Pi = \{r_j \mid N+1 \leq j \leq M+N\}$.

Progress property. In our mapping, the desirable progress property is of the form $\Sigma_n \equiv (\text{true leads-to } Q)$, where $Q = \{Q_i, Q'_i \mid 1 \leq i \leq N\}$ (see Figure 3). Observe that Σ_n is a leads-to as well as an ensures property. This property in Linear Temporal Logic (LTL) is denoted by $\Box \diamond Q$ (called *always eventually* Q).

Before we present our reduction from the SAT problem using the above mapping, we make the following observations regarding the grouping of transitions in different processes:

1. Due to inability of process p_1 to read variable v_2 , for all i , $1 \leq i \leq N$, transitions (r_{ji}, s'_{ji}) , (b'_i, c'_i) , and (b_i, Q_i) are grouped in process p_1 .




Fig. 3. Mapping SAT to addition of a progress property.

2. Due to inability of process p_2 to read variable v_2 , for all i , $1 \leq i \leq N$, transitions (r_{ji}, s_{ji}) , (b_i, c_i) , and (b'_i, Q'_i) are grouped in process p_2 .
3. Transitions grouped with the rest of the transitions in Figure 3 are unreachable and, hence, are irrelevant.

We distinguish the following two cases for reducing the SAT problem to our revision problem :

- (\Rightarrow) First, we show that if the given instance of the SAT formula is satisfiable, then there exists a solution that meets the requirements of the revision decision problem. Since the SAT formula is satisfiable, there exists an assignment of truth values to all variables x_i , $1 \leq i \leq N$, such that each y_j , $N+1 \leq j \leq M+N$, is true. Now, we identify a program Π' , that is obtained by adding the progress property $\Box\Diamond Q$ to program Π as follows.

- The state space of Π' consists of all the states of Π , i.e., $\mathcal{S}_{\Pi} = \mathcal{S}_{\Pi'}$.
- The initial states of Π' consists of all the initial states of Π , i.e., $\mathcal{I}_{\Pi} = \mathcal{I}_{\Pi'}$.
- For each variable x_i , $1 \leq i \leq N$, if x_i is *true*, then we include the following transitions: (a_i, b_i) , (c_i, d_i) , and (Q'_i, Q'_i) in T_{p_3} , (b_i, c_i) and (b'_i, Q'_i) in T_{p_2} , and, (d_i, b'_i) in T_{p_4} .
- For each variable x_i , $1 \leq i \leq N$, if x_i is *false*, then we include the following transitions: (a'_i, b'_i) , (c'_i, d'_i) , and (Q_i, Q_i) in T_{p_3} , (b'_i, c'_i) and (b_i, Q_i) in T_{p_1} , and, (d'_i, b_i) in T_{p_4} .
- For each clause y_j , $N+1 \leq j \leq M+N$, that contains literal x_i , if x_i is *true*, we include transitions (r_j, r_{ji}) and (s_{ji}, a_i) in T_{p_4} , and, transition (r_{ji}, s_{ji}) in T_{p_2} .
- For each clause y_j , $N+1 \leq j \leq M+N$, that contains literal $\neg x_i$, if x_i is *false*, we include transitions (r_j, r_{ji}) and (s'_{ji}, a'_i) in T_{p_4} , and, transition (r_{ji}, s'_{ji}) in T_{p_1} .

As an illustration, we show the partial structure of Π' , for the formula $(x_1 \vee \neg x_2 \vee x_3) \wedge (x_1 \vee x_2 \vee \neg x_4)$, where $x_1 = \text{true}$, $x_2 = \text{false}$, $x_3 = \text{false}$, and




Fig. 4. The structure of the revised program for Boolean formula $(x_1 \vee \neg x_2 \vee x_3) \wedge (x_1 \vee x_2 \vee \neg x_4)$, where $x_1 = true$, $x_2 = false$, $x_3 = false$, and $x_4 = false$.

$x_4 = false$ in Figure 4. Notice that states whose all outgoing and incoming transitions are eliminated are not illustrated. Now, we show that Π' meets the requirements of the Problems Statement 1:

1. The first three constraints of the decision problem are trivially satisfied by construction.
 2. We now show that constraint $C4$ holds. First, it is easy to observe that by construction, there exist no reachable deadlock states in the revised program. Hence, if Π refines UNITY specification Σ_e , then Π' refines Σ_e as well. Moreover, by construction, all computations of Π' eventually reach either Q_i or Q'_i and will stutter there. This is due to the fact that if literal x_i is *true* in clause y_j , then transition (r_{ji}, s'_{ji}) is not included in $\mathcal{T}_{\Pi'}$ and, hence, its group-mates (b'_i, c'_i) and (b_i, Q_i) are not in $\mathcal{T}_{\Pi'}$ as well. Consequently, a computation that starts from r_j eventually reaches Q'_i without meeting a cycle. Likewise, if literal $\neg x_i$ is *false* in clause y_j , then transition (r_{ji}, s_{ji}) is not included in $\mathcal{T}_{\Pi'}$ and, hence, its group-mates (b_i, c_i) and (b'_i, Q'_i) are not in $\mathcal{T}_{\Pi'}$ as well. Consequently, a computation that starts from r_j eventually reaches Q_i without meeting a cycle. Hence, Π' refines $\Sigma_n \equiv \square \diamond Q$.
- (\Leftarrow) Next, we show that if there exists a solution to the revision problem for the instance identified by our mapping from the SAT problem, then the given SAT formula is satisfiable. Let Π' be the program that is obtained by adding the progress property in $\Sigma_n \equiv \square \diamond Q$ to program Π . Now, in order to obtain a solution for SAT, we proceed as follows. If there exists a computation of Π' where state a_i is reachable, then we assign x_i the truth value *true*. Otherwise, we assign the truth value *false*.

We now show that the above truth assignment satisfies all clauses. Let y_j be a clause for some j , $N + 1 \leq j \leq M + N$, and let r_j be the corresponding initial state in $\mathcal{I}_{\Pi'}$. Since r_j is an initial state and Π' cannot deadlock, the transition (r_j, r_{ji}) must be present in $\mathcal{T}_{\Pi'}$, for some i , $1 \leq i \leq N$. By the same argument, there must exist some transition that originates from r_{ji} . This transition terminates in either s_{ji} or s'_{ji} . Observe that $\mathcal{T}_{\Pi'}$ cannot have both transitions, as grouping of transitions will include transitions (b_i, c_i) and (b'_i, c'_i) . If this is the case, Π' does not refine the property $\Box\Diamond Q$ due to the existence of cycle $b_i \rightarrow c_i \rightarrow d_i \rightarrow b'_i \rightarrow c'_i \rightarrow d'_i \rightarrow b_i$. Thus, there can be one and only one outgoing transition from r_{ji} in $\mathcal{T}_{\Pi'}$. Now, if the transition from r_{ji} terminates in s_{ji} , then clause y_j contains literal x_i and x_i is assigned the truth value *true*. Hence, y_j evaluates to true. Likewise, if the transition from r_{ji} terminates in s'_{ji} , then clause y_j contains literal $\neg x_i$ and x_i is assigned the truth value *false*. Hence, y_j evaluates to true. Therefore, the assignment of values considered above is a satisfying truth assignment for the given SAT formula. ■

5.2 A Symbolic Heuristic for Adding Leads-To Properties

We now present a polynomial-time (in the size of the state space) symbolic (BDD¹-based) heuristic for adding leads-to properties to distributed programs. Leads-to properties have interesting applications in automated addition of recovery for synthesizing fault-tolerant distributed programs.

The NP-hardness reduction presented in the proof of Theorem 2 precisely shows where the complexity of the problem lies in. Indeed, Figure 3 shows that transition (b_i, c_i) which can potentially be removed to break the non-progress cycle $b_i \rightarrow c_i \rightarrow d_i \rightarrow b'_i \rightarrow c'_i \rightarrow d'_i \rightarrow b_i$ is grouped with the critical transition (r_{ji}, s_{ji}) which ensures that state r_{ji} and consequently initial state r_j are not deadlocked. The same argument holds for transitions (b'_i, c'_i) and (r_{ji}, s'_{ji}) . Thus, a heuristic that adds a leads-to property to a distributed program needs to address this issue.

Our heuristic works as follows (cf. Figure 5). The Algorithm `Add_LeadsTo` takes a distributed program $\Pi = \langle \mathcal{P}_{\Pi}, \mathcal{I}_{\Pi} \rangle$ and a property P leads-to Q as input, where P and Q are two arbitrary state predicates in the state space of Π . The algorithm (if successful) returns transition predicate of the derived program $\Pi' = \langle \mathcal{P}_{\Pi'}, \mathcal{I}_{\Pi'} \rangle$ that refines P leads-to Q as output. In order to transform Π to Π' , first, the algorithm ranks states that can be reached from P based on the length of their shortest path to Q (Line 2). Then, it attempts to break non-progress cycles (Lines 3-13). To this end, it first computes the set of cycles that are reachable from P (Line 4). This computation can be accomplished using any BDD-based cycle detection algorithm. We apply the Emerson-Lie method [EL86]. Then, the algorithm removes transitions from \mathcal{T}_{Π} that participate in a cycle and whose rank

¹ Ordered Binary Decision Diagrams [Bry86] represent Boolean formulae as directed acyclic graphs making testing of functional properties such as satisfiability and equivalence straightforward and extremely efficient.

Algorithm 1 Add_LeadsTo**Input:** A distributed program $\Pi = \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle$ and property P leads-to Q .**Output:** If successful, transition predicate $\mathcal{T}_{\Pi'}$ of the new program.

```

1: repeat
2:   Let  $Rank[i]$  be the state predicate whose length of shortest path to  $Q$ 
   is  $i$ , where  $Rank[0] = Q$  and  $Rank[\infty] =$  the state predicate that is
   reachable from  $P$ , but cannot reach  $Q$ ;
3:   for all  $i$  and  $j$  do
4:      $C := \text{ComputeCycles}(\mathcal{T}_\Pi, P)$ ;
5:     if  $(i \leq j) \wedge (i \neq 0) \wedge (i \neq \infty)$  then
6:        $tmp := \text{Group}(\langle C \wedge Rank[i] \rangle \wedge \langle C \wedge Rank[j] \rangle')$ ;
7:       if removal of  $tmp$  from  $\mathcal{T}_\Pi$  eliminates a state from  $Q$  then
8:         Make  $\langle C \wedge tmp \rangle$  unreachable;
9:       else
10:         $\mathcal{T}_\Pi := \mathcal{T}_\Pi - tmp$ ;
11:       end if
12:     end if
13:   end for
14: until  $Rank[\infty] = \{\}$ 
15:  $\mathcal{T}_{\Pi'} := \text{EliminateDeadlockStates}(P, Q, \langle \mathcal{P}_\Pi, \mathcal{I}_\Pi \rangle)$ ;
16: return  $\mathcal{T}_{\Pi'}$ ;

```

Fig. 5. A symbolic heuristic for adding a leads-to property to a distributed program.

of source state is less than or equal to the rank of destination state (Lines 6-10). However, since removal of a transition must take place with its entire group predicate, we do not remove a transition that causes creation of deadlock states in Q . Instead, we make the corresponding cycle unreachable (Line 8). This can be done by simply removing transitions that terminate in a state on the cycle. Thus, if removal of a group of transitions does not create new deadlock states in Q , the algorithm removes them (Line 10). Finally, since removal of transitions may create deadlock states outside Q but reachable from P , we need to eliminate those deadlock states (Line 15). Such elimination can be accomplished using the BDD-based method proposed in [BK07].

Given $O(n^2)$ complexity of the cycle detection algorithm [EL86], it is straightforward to observe that the complexity of our heuristic is $O(n^4)$, where n is the size of state space of Π . In order to evaluate the performance of our heuristic, we have implemented the Algorithm Add_LeadsTo in our tool SYCRAFT [BK08]. This heuristic can be used for adding *recovery* in order to synthesize fault-tolerant distributed programs as follows. Let S be a set of legitimate states (e.g., an invariant predicate) and T be the *fault-span* predicate (i.e., the set of states reachable in the presence of faults). First, we add all possible transitions that start from $T - S$ and end in T . Then, we apply the Algorithm Add_LeadsTo for property $(T - S)$ leads-to S .

	<i>Space</i>		<i>Time(s)</i>		
	reachable states	memory (KB)	cycle detection	pruning transitions	total
BA^5	10^4	12	0.5	2.5	3
BA^{10}	10^8	18	5	18	23
BA^{15}	10^{12}	26	47	76	125
BA^{20}	10^{16}	29	522	372	894
BA^{25}	10^{20}	30	3722	1131	4853
TR^5	10^2	6	0.2	0.3	0.5
TR^{10}	10^5	7	13	2	15
TR^{15}	10^7	10	470	10	480
TR^{20}	10^9	33	2743	173	2916
TR^{25}	10^{11}	53	22107	2275	24382

Fig. 6. Experimental results of the symbolic heuristic.

Figure 6 illustrates experimental results of our heuristic for adding such recovery. All experiments are run on a PC with a 2.8GHz Intel Xeon processor and 1.2GB RAM. The BDD representation of the Boolean formulae has been done using the Glu/CUDD package [Som]. Our experiments target addition of recovery to two well-known problems in fault-tolerant distributed computing, namely, the *Byzantine agreement* problem [LSP82] (denote BA^i) and the *token ring* problem [AK98] (denoted TR^i), where i is the number of processes. Figure 6 shows the size of reachable states in the presence of faults, memory usage, total time spent to add the desirable *leads-to* property, time spent for cycle detection (i.e., Line 4 in Figure 5), and time spent for breaking cycles by pruning transitions. Given the huge size of reachable states and complexity of structure of programs in our experiments, we find the experimental results quite encouraging. We note that the reason that TR and BA behave differently as their number of processes grow is due to their different structures, existing cycles, and number of reachable states. In particular, the state space of TR is highly reachable and its original program has a cycle that includes all of its legitimate states. This is not the case in BA . We also note that in case of TR , the symbolic heuristic presented in this subsection tend to be slower than the constructive layered approach introduced in [BK07]. However, the approach in this paper is more general and has a better potential of success than the approach in [BK07].

6 Related Work

The most relevant work to this paper proposes automated transformation techniques for adding UNITY properties to centralized programs [EKB05]. The authors show that addition of multiple UNITY safety properties along with a single

progress property to a centralized program can be accomplished in polynomial-time. They also show that the problem of simultaneous addition of two **leads-to** properties to a centralized program is NP-complete. Also in this context, Jobstmann et al. [JGB05] independently show that the problem of repairing a centralized program with respect to two progress properties is NP-complete.

Existing synthesis methods in the literature mostly focus on deriving the synchronization skeleton of a program from its specification (expressed in terms of temporal logic expressions or finite-state automata) [EC82, MW84, PR89a, PR89b, AAE98, Att99, AE01]. Although such synthesis methods may have differences with respect to the input specification language and the program model that they synthesize, the general approach is based on the satisfiability proof of the specification. This makes it difficult to provide *reuse* in the synthesis of programs, i.e., any changes in the specification require the synthesis to be restarted from scratch.

Algorithms for automatic addition of fault-tolerance to distributed programs are studied from different perspectives [KA00, KE02, BK07]. These (enumerative and symbolic) algorithms add fault-tolerance concerns to existing programs in the presence of faults, and guarantee not to add new behaviors to the input program in the absence of faults. Most problems in addition of fault-tolerance to distributed programs are known to be NP-complete.

7 Conclusion and Future Work

In this paper, we concentrated on automated techniques for *revising* finite state distributed programs with respect to UNITY properties. We showed that unlike centralized programs, the revision problem for distributed programs with respect to only one safety or one progress property is NP-complete. Thus, the results in this paper is a theoretical evidence to the belief that designing distributed programs is strictly harder than centralized programs even in the context of finite state systems. Our NP-completeness results also generalize the results in [KA00, KE02] in the sense that the revision problems remain NP-complete even if the input program is not subject to faults. We also introduced and implemented a BDD-based heuristic for adding a **leads-to** property to distributed programs in our tool SYCRAFT [BK08]. Our experiments show encouraging results paving the path for applying automated techniques for deriving programs that are *correct-by-construction* in practice.

For future work, we plan to generalize the issue of distribution by incorporating communication channels in addition to read/write restriction. We also plan to identify sub-problems where one can devise sound and complete algorithms that add UNITY properties to distributed programs in polynomial-time. We also plan to devise heuristics for adding other types of UNITY properties to distributed programs. Another interesting direction is to study the revision problem where programs are allowed to have a combination of fair and unfair computations. We conjecture that this generalization makes the revision problem more complex.

References

- [AAE98] A. Arora, P. C. Attie, and E. A. Emerson. Synthesis of fault-tolerant concurrent programs. In *Principles of Distributed Computing (PODC)*, pages 173–182, 1998.
- [AE01] P.C. Attie and E. A. Emerson. Synthesis of concurrent programs for an atomic read/write model of computation. *ACM Transactions on Programming Languages and Systems (TOPLAS)*, 23(2):187 – 242, 2001.
- [AK98] A. Arora and S. S. Kulkarni. Component based design of multitolerant systems. *IEEE Transactions on Software Engineering*, 24(1):63–78, 1998.
- [Att99] P. C. Attie. Synthesis of large concurrent programs via pairwise composition. In *International Conference on Concurrency Theory (CONCUR)*, pages 130–145, 1999.
- [BK07] B. Bonakdarpour and S. S. Kulkarni. Exploiting symbolic techniques in automated synthesis of distributed programs with large state space. In *IEEE International Conference on Distributed Computing Systems (ICDCS)*, pages 3–10, 2007.
- [BK08] B. Bonakdarpour and S. S. Kulkarni. SYCRAFT: A tool for synthesizing fault-tolerant distributed programs. In *Concurrency Theory (CONCUR)*, pages 167–171, 2008.
- [Bry86] R. E. Bryant. Graph-based algorithms for Boolean function manipulation. *IEEE Transactions on Computers*, 35(8):677–691, 1986.
- [CM88] K. M. Chandy and J. Misra. *Parallel program design: a foundation*. Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA, 1988.
- [EC82] E. A. Emerson and E. M. Clarke. Using branching time temporal logic to synthesize synchronization skeletons. *Science of Computer Programming*, 2(3):241–266, 1982.
- [EKB05] A. Ebzenasir, S. S. Kulkarni, and B. Bonakdarpour. Revising UNITY programs: Possibilities and limitations. In *On Principles of Distributed Systems (OPODIS)*, pages 275–290, 2005.
- [EL86] E. A. Emerson and C. L. Lei. Efficient model checking in fragments of the propositional model mu-calculus. In *Logic in Computer Science (LICS)*, pages 267–278, 1986.
- [JGB05] B. Jobstmann, A. Griesmayer, and R. Bloem. Program repair as a game. In *Computer Aided Verification (CAV)*, pages 226–238, 2005.
- [KA00] S. S. Kulkarni and A. Arora. Automating the addition of fault-tolerance. In *Formal Techniques in Real-Time and Fault-Tolerant Systems (FTRTFT)*, pages 82–93, 2000.
- [KE02] S. S. Kulkarni and A. Ebzenasir. The complexity of adding failsafe fault-tolerance. *International Conference on Distributed Computing Systems (ICDCS)*, pages 337–344, 2002.
- [LSP82] L. Lamport, R. Shostak, and M. Pease. The Byzantine generals problem. *ACM Transactions on Programming Languages and Systems (TOPLAS)*, 4(3):382–401, 1982.
- [MW84] Z. Manna and P. Wolper. Synthesis of communicating processes from temporal logic specifications. *ACM Transactions on Programming Languages and Systems (TOPLAS)*, 6(1):68–93, 1984.
- [PR89a] A. Pnueli and R. Rosner. On the synthesis of a reactive module. In *Principles of Programming Languages (POPL)*, pages 179–190, 1989.

- [PR89b] A. Pnueli and R. Rosner. On the synthesis of an asynchronous reactive module. In *International Colloquium on Automata, Languages, and Programming (ICALP)*, pages 652–671, 1989.
- [Som] F. Somenzi. CUDD: Colorado University Decision Diagram Package. <http://vlsi.colorado.edu/~fabio/CUDD/cuddIntro.html>.

Appendix

A Summary of Notations

- V set of variables
- D domain of variables
- s state
- \mathcal{S} state space
- T_p transition predicate of process p
- W_p set of variables that process p can write
- R_p set of variables that process p can read
- Π distributed program
- \mathcal{P}_Π processes of program Π
- \mathcal{I}_Π initial states of program Π
- \mathcal{T}_Π transition predicate of program Π
- P, Q state predicates
- \bar{s} computation
- \mathcal{L} UNITY property
- Σ_e existing specification
- Σ_n new specification
- \mathcal{B} transition predicate that characterizes one or more safety UNITY properties
- $\square\heartsuit Q$ always eventually Q